



# NeoBuds Pro (White SKU)

True Wireless Stereo Earbuds with Active Noise Cancellation

### ACTIVE NOISE CANCELING with Ambient mode

Dual microphones active noise canceling technology with controllable level setting

### IMMERSIVE SOUND with Wireless Hi-Res Audio Certified and LDAC

Knowles balanced armature driver and multi-diaphragm dynamic drivers with Electronics cross-over control

### MUSIC MODE / GAMING MODE

80ms low latency connection with seamless experience on gaming activities

### BEST SOUND CALL QUALITY

Take your calls. Hassle free by 3 microphones beam-forming technology

### EDIFIER CONNECT APP

Personalize your listening experience and customize your Equalizer control

### DUST PROOF and SWEATPROOF FOR ACTIVE USE

IP54 certified



<b>ANC ON</b> 5+15hrs	<b>ANC OFF</b> 6+18hrs	<b>10mins = 1hr</b>
--------------------------	---------------------------	---------------------

Hybrid ANC	Ambient Aware	3 Mics noise cancellation	Electronics Cross-Over	Knowles BA Driver	Fast Charge	TWS Mirroring	Game Mode	EDIFIER CONNECT APP	5.0
------------	---------------	---------------------------	------------------------	-------------------	-------------	---------------	-----------	---------------------	-----

# NeoBuds Pro

True Wireless Stereo Earbuds with Active Noise Cancellation

## Packaging Structure & Layout



## Carton Configuration

Product Weight	58g (net weight)
Inner Carton	121mm×71mm×121mm (L×W×H), 243g (gross weight)
Master Carton	416mm×281mm×552mm (L×W×H), 14.36kg (net weight)
PCS/CTN	40pcs

## Box Content

Item	Quantity
Earbuds	1
Charging Case	1
Ear-Tips (XXS/XS/S/M/L/XL/XXL)	7 sets
Charging Cable	1
Pouch	1
User Manual	1




## EAN Code

Color Options	EAN Code
Black	6923520242764
White	6923520242818

# NeoBuds Pro

True Wireless Stereo Earbuds with Active Noise Cancellation


## EDIFIER CONNECT APP




High Noise Cancellation and Low Noise Reduction



Ambient Sound adjustable



Slide to EQ selection:  
Classic/Dynamic/Customized



Click to enter  
Customized EQ Settings




Adjust and save your  
personalized EQ

# NeoBuds Pro

True Wireless Stereo Earbuds with Active Noise Cancellation

## EDIFIER CONNECT APP




Game Mode




Settings

### Settings include:

- Device name
- Tap setting
- Disconnect Bluetooth
- Re-pair
- Factory settings
- User manual
- Turn product off
- Tap sensitivity
- LHDC audio codec
- LDAC audio codec



Tap setting-left earbud



Tap setting-right earbud

# NeoBuds Pro

True Wireless Stereo Earbuds with Active Noise Cancellation

## Technical Specification

Bluetooth	V5.0
Bluetooth Protocol	A2DP, AVRCP, HFP
Effective Distance	10M
Playtime (hours)	ANC On: 5h(earbuds) + 15h(charging case) ANC Off: 6h(earbuds) + 18h(charging case)
Battery Capacity	42mAh (earbuds)   500mAh (charging case)
Charging Port	USB-TypeC
Input	5V/200mA (earbuds)   5V/1A (charging case)
Charging Time	1h (earbuds)   1h (charging case)
Weight	5.4g (each earbuds)   47g (charging case)

Audio Coding	LDAC, LHDC, SBC
Driver	Knowles Balanced Armature Driver + 10mm Dynamic Driver
Impedence	24Ω
Sound Pressure Level	92±3dB SPL (A)
Frequency Response	20Hz-40KHz(LDAC) 20Hz-20KHz(SBC)
Mircophones	6 (3 on each earbud)
Microphone Sensitivity	-38dB±1dB
IP Rating	IP54
Dimension (L x W x H mm)	3.58*23.55*18.85mm (earbuds) 53.75*65.65*30.65mm (charging case)

# EU DECLARATION OF CONFORMITY

WITH BELOW LISTED COMMUNITY LEGISLATION AND HARMONIZED STANDARDS TO SATISFY THE SAFETY, QUALITY AND REGULATORY REQUIREMENTS OF THE BELOW SPECIFIED PRODUCT

Name of the manufacturer	Edifier International Limited
Address	P.O. Box 6264 General Post Office Hong Kong

**We, Edifier International Limited, declare under our sole responsibility that the following product:**

Trademark	Product Name	Model Name
EDIFIER	True Wireless Stereo Earbuds with Active Noise Cancellation	EDF200051

**has been tested and complies with the European Standard herein specified:**

Radio Equipment Directive	2014/53/EU
Article 3.1a Health	EN 62479:2010
Article 3.1a Safety	EN 62368-1:2014+A11
Article 3.1b EMC	EN 301489-1 V2.2.3 EN 301489-17 V3.2.4 EN 55032:2015 EN 55035:2017
Article 3.2 Radio Spectrum	EN 300328 V2.2.2

Signature: *Dingkun Shen*

Printed name: Dingkun Shen

Position: R&D manager

Place and date of issue: DongGuan 2021-6-28

# ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

ΜΕ ΠΑΡΑΚΑΤΩ ΑΝΑΓΡΑΦΟΜΕΝΗ ΚΟΙΝΟΤΙΚΗ ΝΟΜΟΘΕΣΙΑ ΚΑΙ  
ΕΝΑΡΜΟΝΙΣΜΕΝΑ ΠΡΟΤΥΠΑ ΓΙΑ ΤΗΝ ΙΚΑΝΟΠΟΙΗΣΗ ΤΩΝ ΑΠΑΙΤΗΣΕΩΝ  
ΑΣΦΑΛΕΙΑΣ, ΠΟΙΟΤΗΤΑΣ ΚΑΙ ΚΑΝΟΝΙΣΤΙΚΩΝ ΑΠΑΙΤΗΣΕΩΝ ΤΟΥ ΠΑΡΑΚΑΤΩ  
ΠΡΟΣΔΙΟΡΙΣΜΕΝΟΥ ΠΡΟΪΟΝΤΟΣ

Όνομα του κατασκευαστή	Edifier International Limited
Διεύθυνση	Ταχυδρομική Θυρίδα 6264 Γενικό ταχυδρομείο Χονγκ Κονγκ

Εμείς, η Edifier International Limited, δηλώνουμε με αποκλειστική μας ευθύνη  
ότι τα ακόλουθα προϊόντα:

Εμπορικό σήμα	Όνομα προϊόντος	Όνομα μοντέλου
EDIFIER	Πραγματικά ασύρματα στερεοφωνικά ακουστικά με ενεργή ακύρωση θορύβου	EDF200051(NeoBuds Pro)

έχουν ελεγχθεί και συμμορφώνονται με το Ευρωπαϊκό Πρότυπο που  
καθορίζεται στο παρόν:

Οδηγία για τον ραδιοεξοπλισμό	2014/53/ΕΕ
Άρθρο 3.1α Υγεία	EN 62479
Άρθρο 3.1α Ασφάλεια	EN 62368-1
Άρθρο 3.1β EMC	EN 301489-1 EN 301489-17 EN 55032 EN 55035
Άρθρο 3.2 Ραδιοφάσμα	EN 300328

Υπογραφή:

Εκτυπωμένη επωνυμία: Li Lanqiang

Θέση: Υπεύθυνος κέντρου πιστοποίησης

Τόπος και ημερομηνία έκδοσης: Dongguan 2022-1-10



@Edifierglobal



@Edifier\_Global



@Edifier\_Global

Model: EDF200051  
Edifier International Limited  
P.O. Box 6264  
General Post Office  
Hong Kong

[www.edifier.com](http://www.edifier.com)  
© 2021 Edifier International Limited. All rights reserved.  
Printed in China

**NOTICE:**

For the need of technical improvement and system upgrade, information contained herein may be subject to change from time to time without prior notice.

Products of EDIFIER will be customized for different applications.  
Pictures and illustrations shown on this manual may be slightly different from actual product.  
If any difference is found, the actual product prevails.

V1.1 IB-200-NEOBUD-02



# NeoBuds Pro

True Wireless Stereo Earbuds with Active Noise Cancellation

Download EDIFIER CONNECT APP from the APP store/Google Play Store  
Please visit EDIFIER website for the full version user manual: [www.edifier.com](http://www.edifier.com)  
For user safety and compliances, also for the optimum performance,  
please carefully read safety instructions and use the product in accordance with them.





## GR

### ■ Οδηγίες χρήσης

#### ● Ενεργοποίηση/Απενεργοποίηση

- Τα ακουστικά θα ενεργοποιηθούν όταν ανοίξει η θήκη.
- Τα ακουστικά απενεργοποιούνται όταν βρίσκονται στη θήκη και η θήκη είναι κλειστή.

#### ● Σύνδεση Bluetooth



Τοποθετήστε τα ακουστικά στη θήκη, πιέστε παρατεταμένα το πλήκτρο της θήκης για περίπου 3 δευτερόλεπτα για μετάβαση στη σύζευξη Bluetooth, οπότε οι φωτεινές ενδείξεις της θήκης θα ανάβουν διαδοχικά από αριστερά προς τα δεξιά σε κυκλικό σχήμα;

#### Προειδοποίηση:

Η χρησιμοποιούμενη πηγή ρεύματος πρέπει να είναι εγκεκριμένη από τις αρμόδιες αρχές και σύμφωνα με τις ηλεκτρικές προδιαγραφές συσκευών καθώς και με τους τοπικούς κανονισμούς (π.χ. UL, CSA, VDE, CCC), διαφορετικά μπορεί να υπάρξει κίνδυνος φωτιάς, έκρηξης, κλπ.



#### 🔌 Θύρα φόρτισης τύπου-C

Είσοδος: 5V  $\equiv$  200mA (ακουστικά earbuds)  
5V  $\equiv$  1A (θήκη φόρτισης)

Ρυθμίστε το κινητό τηλέφωνο σε αναζήτηση και σύνδεση με «EDIFIER NeoBuds Pro», αφού η σύζευξη γίνει επιτυχώς, ολόκληρη η κόκκινη μπάρα θα αναβοσβήσει δύο φορές και μετά θα απενεργοποιηθεί.

### • Σύζευξη TWS του αριστερού και δεξιού ακουστικού & εκκαθάριση αρχείων σύζευξης

Τοποθετήστε τα ακουστικά στη θήκη, κάντε τριπλό κλικ στο πλήκτρο της θήκης για μετάβαση στη σύζευξη TWS του αριστερού και του δεξιού ακουστικού και για εκκαθάριση των αρχείων σύζευξης, οπότε οι φωτεινές ενδείξεις της θήκης θα ανάψουν διαδοχικά από τις άκρες προς το κέντρο σε κυκλικό σχήμα. Αφού ολοκληρωθεί επιτυχώς η σύζευξη TWS, τα ακουστικά θα μεταβούν αυτομάτως σε κατάσταση σύζευξης Bluetooth, και οι φωτεινές ενδείξεις της θήκης θα ανάβουν διαδοχικά από τα αριστερά προς τα δεξιά σε κυκλικό σχήμα μέχρι να ολοκληρωθεί η σύζευξη.

Σημείωση: Κατά την πρώτη χρήση, παρακαλώ ρυθμίστε το κινητό τηλέφωνο σε αναζήτηση και σύνδεση με το παρόν προϊόν αφού ανοίξετε τη θήκη φόρτισης και αναβοσβήσουν οι φωτεινές ενδείξεις της θήκης από τα αριστερά προς τα δεξιά. Στις επόμενες χρήσεις τα ακουστικά θα συνδεόνται αυτομάτως με το κινητό τηλέφωνο που χρησιμοποιήθηκε τελευταία φορά.

### • Λειτουργία

Διπλό κλικ:  
Αποδοχή/Απόρριψη κλήσης  
Διπλό κλικ:  
Διακόπτης τρόπου λειτουργίας  
Τριπλό κλικ: ενεργοποίηση/  
απενεργοποίηση  
λειτουργίας παιχνιδιού



Διπλό κλικ: Αποδοχή/  
Απόρριψη κλήσης  
Διπλό κλικ:  
αναπαραγωγή/παύση  
Τριπλό κλικ:  
επόμενο τραγούδι

Σημείωση:

- Διακόπτης τρόπου λειτουργίας: Όταν χρησιμοποιούνται και τα δύο ακουστικά, οι προεπιλεγμένοι τρόποι λειτουργίας είναι λειτουργία ακύρωσης έντονου θορύβου & λειτουργία ήχου περιβάλλοντος. Οι χρήστες μπορούν να επιλέξουν τη λειτουργία ακύρωσης χαμηλού θορύβου & λειτουργία ήχου περιβάλλοντος ή την κανονική λειτουργία & λειτουργία ήχου περιβάλλοντος μέσω της EDIFIER CONNECT APP. Το προϊόν θα μεταβεί αυτομάτως σε κανονική λειτουργία & λειτουργία ήχου περιβάλλοντος όταν χρησιμοποιείται μόνο το ένα ακουστικό.
- Οι χρήστες μπορούν να προσωποποιήσουν τη λειτουργία των πλήκτρων μέσω της EDIFIER CONNECT APP.
- Το προϊόν μπορεί να ενημερωθεί περιστασιακά χωρίς προειδοποίηση.
- Οι εικόνες είναι μόνο επεξηγηματικές και ενδέχεται να διαφέρουν από το πραγματικό προϊόν.