

# LogiLink®

Outdoor Power Strip with  
4-Way Socket, 1.4 m

Art. No.: LPS212



Organize your outdoor appliances through a power strip - perfect for use in the backyard and garden.



Cable Specification:  
H07RN-F 3G 1.5 mm<sup>2</sup>

Splash-proof socket outlet with  
earthing contact and hinged cover

Power: 230 V/16 A,  
max. 3680 W

Safety Sockets  
(German type, CEE 7/3)



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



# LogiLink®

## Outdoor Power Strip with 4-Way Socket, 1.4 m

Art. No.: LPS212



### Features:

- » The strip with the robust and stable housing and IP44 protected against dust and splashes is suitable for the use outdoor/commercial /construction site
- » 4 splash-proof safety sockets with hinged cover
- » Rugged plastic housing
- » With a hanger is suitable for wall mounting
- » Attached the 1.4 m long cable and the sockets in 45°, this multi-socket strip is ideal for any season
- » Comes with H07RN-F, 3G 1.5 mm<sup>2</sup> cable – 230 V ~ 50 Hz, 16 A – Max. 3680 W



### Package Content:

- » 1x Outdoor Power Strip, 1.4 m

### Package Information:

- » Packing Dimension: 350x110x53 mm
- » Packing Weight: 0.575 kg
- » Carton Dimension: 440x360x180 mm
- » Carton Q'ty: 10 pcs
- » Carton Weight: 5.7 kg



### Warning

- \*Do not plug in a row.
- \*Do not operate covered.

\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



Made in China



## EC-Declaration of Conformity

According to the regulations  
2014/35/EU(LVD) & 2011/65/EU(RoHS)

### We, Importer / Distributor

2direct GmbH  
Langenstück 5  
58579 Schalksmühle  
Germany

### Declare that the product

Brand Name: **LogiLink**  
Model Number: LPS212  
Outdoor Outlet Strip, 4 sockets, IP44

### Is in Conformity with the following European Standards:

IEC 60884-1:2002+A1:2006+A2:2013  
EN50581:2012

**Report No: 160302045SHA-001**

Identification of signatory empowered to bind the manufacturer or his authorized representative.



Schalksmühle, 26<sup>th</sup> September 2016

Place and date of issue

2direct GmbH  
Langenstück 5  
D-58579 Schalksmühle  
Tel.: +49-2351-66887-0  
Fax: +49-2351-66887-20

Signature ( Wilfried Gröhnert)