

8-Port Fast Ethernet Switch

Expand Your Network, add more devices and computers to the network



Plug and Play, just connect it to your network and you are up and running



Delivers up to 200Mbps throughput per port in full-duplex mode



BRIEF INTRODUCTION ❖❖

The S108 is an unmanaged 8-Port 10/100Mbps switch designed to enhance small workgroup performance while providing a high level of flexibility. Powerful yet easy to use, this device allows users to simply plug any port to either a 10Mbps or 100Mbps network to multiply bandwidths, boost response time and satisfy heavy load demands. These intelligent ports detect the network speed and auto-negotiate between 100BASE-TX and 10BASE-T, as well as between full- and half-duplex.

PRODUCT FEATURES ❖❖

- ▶ Complies with IEEE802.3 10Base-T Ethernet and IEEE802.3u 100Base-TX Fast Ethernet standards;
- ▶ Supports Auto MDI/MDI-X on each port;
- ▶ Supports NWAY Auto-Negotiation function and auto detects transfer speed;
- ▶ Provides 1K MAC address entries;
- ▶ Supports MAC address self-learning/auto-aging;

WHAT THIS PRODUCT DOES

To add seven computers or other Ethernet-based devices to your small Office network, by connect this switch to your router.

BENEFITS

- Ports: Eight 10/100BASE-TX;
- MAC Address Table: 1k;
- Backplane Bandwidth: 1.6Gbps;
- Transmission Method: Store-and-forward;
- Plug and play;

TECHNICAL SPECIFICATIONS


Standards	IEEE802.3 and IEEE802.3u
Transmission Media	10Base-T: Cat. 3 or above UTP;
	100Base-TX: Cat. 5 UTP;
	1000Base-T: Cat.5e UTP
MAC Address Table Size	1K
Switching Fabric	Non-blocking
Transmission Method	Store-and-Forward
Interface	8 10/100Mbps RJ45 Ports, 1 Power Port
Power Supply	External Power Adapter, AC 9V, 600mA
Operating Temperature	32 to 104°F (0 to 40°C)
Operating Humidity	10 to 90% Noncondensing
Storage Temperature	-40 to 158°F (-40 to 70°C)
Storage Humidity	5 to 90% Noncondensing
Dimension (WxDxH)	140mmX90mmX30mm (5.5"X3.5"X1.2")
Housing Material	Plastic
Gross Weight	0.64Kg
Certificate	CE, RoHS

PACKAGE CONTENTS

- 8-Port Fast Ethernet Switch
- External Power Adapter
- User Manual

MINIMUM REQUIREMENTS

- Internet Explorer 5.5 or Firefox 1.0
- Network Adapter



Model No.:S108

● **Obligation-free statement**

The maximum performance for wireless is derived from IEEE Standard 802.11 specifications. Actual performance can vary, including lower wireless network capacity, data throughput rate, range and coverage. Performance depends on many factors, conditions and variables, including distance from the access point, volume of network traffic, building materials and construction, operating system used, mix of wireless products used, interference and other adverse conditions. Check the product package and contents for specific features supported. Specifications are subject to change without notice.

● **Copyright statement**

Tenda is the registered trademark of Shenzhen Tenda Technology Co., LTD in CHINA and certain other countries. Copyright © 2007 Shenzhen Tenda Technology Co., LTD All rights reserved. Other brands and product name are trademarks or registered trademarks of their respective holders.

● **Contact us**


Shenzhen Tenda Technology Co., Ltd.
 Address: Tenda Industrial Park, No. 34-1, Shilong Rd., Shiyang Town, Bao'an District, Shenzhen, P.R. China 518108
 Tel: 0086.755.2765.7180 Fax: 0086.755.2765.7178
 E-mail: sales@tenda.com.cn Http: www.tenda.cn


Tenda

Οδηγός Γρήγορης Εγκατάστασης

(Αυτό το εγχειρίδιο ισχύει για τα μοντέλα S105/108)


Σύνοψη προϊόντος



LED	Κατάσταση λυχνίας	Περιγραφή
	ON- Ενεργοποιημένη	Η τροφοδοσία ρεύματος παρέχεται σωστά από τη συσκευή.
	OFF- Απενεργοποιημένη	Η τροφοδοσία ρεύματος παρέχεται σωστά από τη συσκευή.
1 ~ 5/8	Σταθερά ενεργοποιημένη	Υποδηλώνει ότι η αντίστοιχη θύρα είναι συνδεδεμένη.
	Απενεργοποιημένη	Υποδηλώνει ότι δεν υπάρχει σύνδεση.
	Αναβοσβήνει	Υποδηλώνει ότι η αντίστοιχη θύρα είναι συνδεδεμένη και μεταφέρει δεδομένα.

(Τα μοντέλα **S105** και **S108** ανήκουν στην ίδια κατηγορία. Εδώ, ο κωδικός **S105** λαμβάνεται ως οδηγός.)

Σύνδεση S105/S108 στο internet



Τεχνική υποστήριξη

Κατασκευαστής: Shenzhen Tenda Technology Co., Ltd,

Διεύθυνση: 6-8 Floor, Tower E3, NO.1001, Zhongshanyuan Road, Nanshan District,
Shenzhen, China. 518052

Τεχνική υποστήριξη: support@tenda.com.cn

Τηλέφωνο: (86 755) 2765 7180

Ιστοσελίδα: <http://www.tendacn.com>

Ηλεκτρονικό ταχυδρομείο: support@tenda.com.cn

Skype: tendasz

YouTube: Tendasz1999

Δήλωση έκδοσης και ασφάλειας

Πληροφορίες προϊόντος:

Μοντέλο: TEA13XX-05060 (x=A,B,E,K ή D)

Είσοδος ρεύματος: 100-240V-50/60Hz, 0.3A

Έξοδος ρεύματος: 5V—600Ma

Dongguan Ponon Technology Co., Ltd



Προειδοποίηση σήματος

Πρόκειται για προϊόν κλάσης B. Σε οικιακό περιβάλλον, αυτό το προϊόν μπορεί να προκαλέσει ραδιοπαρεμβολές, στην οποία περίπτωση μπορεί να απαιτηθεί από το χρήστη να λάβει τα κατάλληλα μέτρα.



Δηλώσεις FCC

Αυτός ο εξοπλισμός έχει ελεγχθεί και έχει διαπιστωθεί ότι συμμορφώνεται με τα όρια ψηφιακής συσκευής κλάσης B, σύμφωνα με το Μέρος 15 των Κανόνων FCC. Αυτά τα όρια έχουν σχεδιαστεί για να παρέχουν σε οικιακούς χώρους λογική προστασία από επιβλαβείς παρεμβολές. Αυτός ο εξοπλισμός παράγει, χρησιμοποιεί και μπορεί να εκπέμψει ραδιοσυχνότητες, εάν δεν έχουν εγκατασταθεί και έχουν χρησιμοποιηθεί σύμφωνα με τις οδηγίες μπορεί να προκαλέσει επιβλαβείς παρεμβολές στις ραδιοεπικοινωνίες. Η λειτουργία του εξοπλισμού σε μια κατοικημένη περιοχή είναι πιθανό να προκαλέσει επιβλαβείς παρεμβολές, με τον χρήστη να κλίνεται να διορθώσει την παρεμβολή με δικά του έξοδα.

FCC Προειδοποίηση: Οποιοσδήποτε αλλαγές ή τροποποιήσεις που δεν έχουν εγκριθεί ρητά από τον υπεύθυνο για τη συμμόρφωση, μπορεί να ακυρώσει την εξουσιοδότηση του χρήστη να χειρίζεται τον εξοπλισμό.

Η λειτουργία υπόκειται στις ακόλουθες δύο καταστάσεις:

(1) αυτή η συσκευή δεν μπορεί να προκαλέσει επιβλαβείς παρεμβολές και (2) αυτή η συσκευή πρέπει να αποδεχτεί οποιαδήποτε παρεμβολή δέχεται, συμπεριλαμβανομένων των παρεμβολών που μπορεί να προκαλέσουν ανεπιθύμητη λειτουργία.