



Keyboard Mechanical RGB Zeroground KB-3200G TONADO



Overview:

Mechanical keyboard with OUTEMU linear red switches which give us soft sense for gaming comfort and can hold up to 50 million presses
The response time is only 0.1s for instance response
N-key rollover technology
Ergonomic design with arm rest made by leatherette memory foam cushion
Full RGB
Programmable

Key features:

Dimensions:432x121x40mm
Weight:1200g \pm 10
Cable length:1.8m
Keys:108
Response time of switch: 0.1s
Switch type: Outemu red mechanical switch
Peak force: 45 \pm 10gf
Maximum key life: 50000000 times
Backlight light LED: Full RGB
Compatible with: WIN2000, WIN XP, WIN VISTA, WIN7, WIN8, WIN10

Multimedia keys:

FN+F1 My computer
FN+F2 Web Browser
FN+F3 E-mail
FN+F4 Music Player
FN+F5 Previous song
FN+F6 Next song
FN+F7 Start/Pause
FN+F8 Stop
FN+F9 Volume up
FN+F10 Volume down
FN+F11 Mute
FN+F12 Calculator
FN+WIN key Lock Windows key

Backlight modes:

FN+ScrLK Backlight effect
FN+Pause Choose color

FN+⬆ Increase the brightness

FN+⬇ Decrease the brightness

FN+⬆ Increase the speed of the backlight

FN+⬇ Decrease the speed of the backlight

FN+INS Side backlight effect

More information:

Manufacturer site: www.zero-ground.com





DECLARATION OF CONFORMITY

We, Importer/Distributor DOTMEDIA LTD

in accordance with the following Directives:

EMC Directive 2004/108/EC and

The product is compatible with the following norms/standards

EN55022:2010

EN55024:2010

EN61000-3-2:2006+A1:2009+A2:2009

EN6100-3-3:2008

hereby we declare that:

Equipment	USB Mechanical Keyboard
Model number	KB-3200G TONADO
Brand name	ZeroGround


is in conformity with the applicable requirements of the following documents

I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives

Place and date of issue

AXARNAI, 28/6/2021

Signature



(Theodoros Mavroeidis)