

Picture

Model
E1 Zoom
Video & Audio

Image Sensor	1/2.7" CMOS Sensor
Video Resolution	2560x1920 (5MP)@15FPS
Lens	f=2.8mm-4mm, F=2.0
Video Format	H.264
Field of View	Horizontal: 98°- 48° Vertical:75°- 37°
Day & Night	IR-cut filter with auto-switching
Infrared Night Vision	Up to 12 Meters (40ft)(LED: 10pcs/14mil/850nm)
Audio	Two-way Audio

Power

DC Power	DC 5V \pm 2A
----------	----------------

Interface

Power	DC power port
System	Reset Button
Ethernet	One 10M/100Mbps RJ45
Storage	MicroSD card slot (Max. 256GB)
Audio	Built-in Microphone and Speaker

Pan&Tilt

Pan &Tilt Range	Pan: 355°, Tilt: 0°~50°
Auto Tracking	Support

Wi-Fi

Wireless Standard	IEEE 802.11 a/b/g/n
Operating Frequency	2.4 GHz/5 GHz
Wireless Security	WPA-PSK/WPA2-PSK

Software Features

Frame Rate	Main Stream: 2fps - 20fps(default: 20fps) Sub Stream: 4fps - 15fps(default: 7fps)
Code Rate	Main Stream: 1024Kbps -5120Kbps(default: 4096Kbps) Sub Stream: 128Kbps -512Kbps(default: 160Kbps)
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Smart Alarm	Motion detection/Human Detection/Pet Detection
Record Mode	Motion Record/Schedule Record (Default: Motion Record)
Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
Maximal User Access	Support up to 12 simultaneous video streams (10 substreams & 2 mainstreams); 20 Users (1 admin account & 19 user accounts)
Work with	Google Assistant, Reolink Cloud

Working Environment

Temperature	Operating Temperature: -10°C~+55°C (14°F~131°F)
Humidity	Operating Humidity: 20% ~ 85%

Size & Weight

Dimension	Φ84x118mm
Weight	275g

Warranty

Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/
------------------	---

Δήλωση συμμόρφωσης ΕΕ (GR)

Manufacturer: REOLINK INNOVATION LIMITED

Address: FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN STREET MONG KOK KL HONG KONG

Αυτή η δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή και ανήκει στο ακόλουθο προϊόν:

Τύπος Προϊόντος: WiFi IP Κάμερα

Μοντέλο: E1 Pro, E1, E1 Zoom

Το αντικείμενο της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνο με τη σχετική Νομοθεσία εναρμόνισης της Ένωσης:

- Radio Equipment Directive: 2014/53/EU
- RoHS Directive: 2011/65/EU

Έχουν εφαρμοστεί τα ακόλουθα εναρμονισμένα πρότυπα και τεχνικές προδιαγραφές:

Safety	EN 60950-1:2006+A2:2013
Health	EN 62311:2008
EMC	Draft ETSI EN 301 489-1 V2.2.1 (2019-03) Final draft ETSI EN 301 489-3 V2.1.1 (2017-03) Draft ETSI EN 301 489-17 V3.2.0 (2017-03)
Radio	Draft ETSI EN 301 489-1 V2.2.1 (2019-03) Final draft ETSI EN 301 489-3 V2.1.1 (2017-03) Draft ETSI EN 301 489-17 V3.2.0 (2017-03)
RoHS	EN 50581:2012

Υπογράφηκε για και για λογαριασμό του: REOLINK INNOVATION LIMITED

Τόπος έκδοσης: Hong Kong

Ημερομηνία έκδοσης: 15-9-2021

Όνομα: Wang aijun

Θέση: Τεχνικός διευθυντής

Υπογραφή:

Wang aijun

EU Declaration of Conformity (EN)

Manufacturer: REOLINK INNOVATION LIMITED
Address: FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN
STREET MONG KOK KL HONG KONG

This declaration of conformity is issued under the sole responsibility of the manufacturer and belongs to the following product:

Product Type: WiFi IP Camera

Model: E1 Pro, E1, E1 Zoom

The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

- Radio Equipment Directive: 2014/53/EU
- RoHS Directive: 2011/65/EU

The following harmonized standards and technical specifications have been applied:

Safety	EN 60950-1:2006+A2:2013
Health	EN 62311:2008
EMC	Draft ETSI EN 301 489-1 V2.2.1 (2019-03) Final draft ETSI EN 301 489-3 V2.1.1 (2017-03) Draft ETSI EN 301 489-17 V3.2.0 (2017-03)
Radio	ETSI EN 300 328 V2.1.1 (2016-11) ETSI EN 301 893 V2.1.1 (2017-05) ETSI EN 300 440 V2.2.1 (2018-07)
RoHS	EN 50581:2012

Signed for and on behalf of: REOLINK INNOVATION LIMITED

Place of issue: Hong Kong
Date of issue: 15-9-2021
Name: Wang aijun
Position: Technical Director
Signature:

Wang aijun