

RLC-811A-IP-Camera-Specifications		
	Model	RLC-811A
Video & Audio	Image Sensor	1/2.8" CMOS Sensor
	Video Resolution	Default: 3840 x 2160 (8.0 megapixels) at 25 frames/sec
	Lens	f=2.7-13.5mm F=1.6-3.3, with IR cut
	Optical Zoom	5X
	Video Format	H.265
	Field of View	Horizontal: 105° - 31° Vertical: 55° - 17°
	Day & Night	Auto-switching with IR-cut filter
	Infrared Night Vision	Up to 30 meters (IR LED: 4pcs/28mil/850nm)
	Color Night Vision	Spotlight: 5pcs/4W/6500K/450 lumens
	Audio	Two-way audio
Power	PoE	IEEE 802.3af, 48V active
	DC Power	DC 12.0V=1A, <12W
Interface	Power	DC power port
	System	Reset button
	Ethernet	One 10M/100Mbps; RJ45
	Storage	Micro SD card slot (Max. 256GB)
	Audio	Built-in microphone and speaker
Software Features	Frame Rate	Mainstream: 2fps - 25fps (default: 25fps) Substream: 4fps - 15fps (default: 10fps)
	Code Rate	Mainstream: 1024Kbps - 8192Kbps (default: 6144Kbps) Substream: 64Kbps - 512Kbps (default: 256Kbps)
	Browsers Supported	Edge, Chrome, Firefox, Safari
	OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
	Smart Alarm	Motion detection; person detection; vehicle detection; pet detection (beta)
	Record Mode	Motion recording (default); scheduled recording; 24/7 recording
	Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
	Maximal User Access	20 Users (1 admin account & 19 user accounts); Supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
Working Environment	Work with	Google Assistant
	Temperature	Operating temperature: -10°C~+55°C (14°F~131°F)
	Humidity	Operating humidity: 10% ~ 90%
Size & Weight	Waterproof	IP66
	Dimension	80 x 72 x 238mm
Warranty	Weight	838g
	Limited Warranty	2-Year limited warranty. For support, visit <a href="https://support.reolink.com/hc/en-us/">https://support.reolink.com/hc/en-us/</a>

## Δήλωση συμμόρφωσης ΕΕ (GR)

**Manufacturer:** REOLINK INNOVATION LIMITED

**Address:** FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN  
STREET MONG KOK KL HONG KONG

Αυτή η δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή και ανήκει στο ακόλουθο προϊόν:

**Τύπος Προϊόντος:** IP Κάμερα

**Μοντέλο:** RLC-811A, RLC-1220A, RLC-1210A, RLC-823A, RLC-822A

Το αντικείμενο της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνο με τη σχετική Νομοθεσία εναρμόνισης της Ένωσης:

- EMC Directive: 2014/30/EU

- RoHS Directive: 2011/65/EU

Έχουν εφαρμοστεί τα ακόλουθα εναρμονισμένα πρότυπα και τεχνικές προδιαγραφές:

EMC	EN 55032:2015/A11:2020 EN 61000-3-2:2019 EN 61000-3-3:2013/A1:2019 EN 55035:2017/A11:2020
RoHS	EN 50581:2012

**Υπογράφηκε για και για λογαριασμό του:** REOLINK INNOVATION LIMITED

**Τόπος έκδοσης:** Hong Kong

**Ημερομηνία έκδοσης:** 15-9-2021

**Όνομα:** Wang aijun

**Θέση:** Τεχνικός διευθυντής

**Υπογραφή:**

Wang aijun

## EU Declaration of Conformity (EN)

**Manufacturer:** REOLINK INNOVATION LIMITED  
**Address:** FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN  
STREET MONG KOK KL HONG KONG

This declaration of conformity is issued under the sole responsibility of the manufacturer and belongs to the following product:

**Product Type:** IP Camera

**Model:** RLC-811A, RLC-1220A, RLC-1210A, RLC-823A, RLC-822A

The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

- EMC Directive: 2014/30/EU
- RoHS Directive: 2011/65/EU

The following harmonized standards and technical specifications have been applied:

EMC	EN 55032:2015/A11:2020 EN 61000-3-2:2019 EN 61000-3-3:2013/A1:2019 EN 55035:2017/A11:2020
RoHS	EN 50581:2012

**Signed for and on behalf of:** REOLINK INNOVATION LIMITED

**Place of issue:** Hong Kong  
**Date of issue:** 15-9-2021  
**Name:** Wang aijun  
**Position:** Technical Director  
**Signature:**

*Wang aijun*