

Reolink-E1-Outdoor-PoE-IP-Camera-Specifications		
	Model	E1 Outdoor PoE
Video & Audio	Image Sensor	1/2.8" CMOS Sensors
	Video Resolution	Default: 3840X2160 (8.0 megapixels) at 25 frames/sec
	Lens	f=2.8 - 8mm, zoom module
	Video Format	H.265
	Field of View	Horizontal : 94° - 50°
		Vertical : 53° - 30°
	Day & Night	IR-cut filter with auto-switching
	Infrared Night Vision	Up to 12 meters (40ft) (LED : 12pcs/14mil/850nm)
	Color Night Vision	Spotlights: 4pcs/2.7W/6500K/180Lumens
Power	Audio	Two-Way Audio
	POE	IEEE 802.3af, 48V Active
	DC Power	DC 12V=1A, <12W
Interface	Power	DC power port
	System	Reset button
	Ethernet	One 10M/100Mbps; RJ45
	Storage	Micro SD card slot (Max. 256GB)
	Audio	Built-in microphone and speaker
Pan&Tilt	Pan & Tilt	Pan: 355°, Tilt: 0° - 50°
	Auto Tracking	Support
Software Features	Frame Rate	Mainstream : 2fps - 25fps (default : 25fps)
		Substream : 4fps - 15fps (default : 10fps)
	Code Rate	Mainstream : 4096Kbps - 8192Kbps (default : 6144Kbps)
		Substream : 64Kbps - 512Kbps (default : 256Kbps)
	Browser Supported	Edge, Chrome, Firefox, Safari
	OS Supported	PC : Windows, Mac OS ; Smartphone : iOS, Android
	Smart Alarm	Motion detection; person detection; vehicle detection; pet detection (beta)
	Record Mode	Motion-triggered recording (default); scheduled recording; 24/7 recording
	Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
	Maximal User Access	20 Users (1 admin account & 19 user accounts); Supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
Working Environment	Works with	Google Assistant
	Temperature	Operating temperature: -10°C ~ +50°C (14°F ~ 122°F)
	Humidity	Operating humidity: 10% ~ 90%
	Waterproof	IP64
Size & Weight	Dimension	Φ85x118mm
	Weight	395g
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/

Δήλωση συμμόρφωσης ΕΕ (GR)

Manufacturer: REOLINK INNOVATION LIMITED

Address: FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN
STREET MONG KOK KL HONG KONG

Αυτή η δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή και ανήκει στο ακόλουθο προϊόν:

Τύπος Προϊόντος: IP Camera

Μοντέλο: E1 Outdoor PoE

Το αντικείμενο της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνο με τη σχετική Νομοθεσία εναρμόνισης της Ένωσης:

- EMC Directive: 2014/30/EU
- LVD: 2014/35/EU
- RoHS Directive: 2011/65/EU&(EU)2015/863

Έχουν εφαρμοστεί τα ακόλουθα εναρμονισμένα πρότυπα και τεχνικές προδιαγραφές:

EMC	EN 55032:2015/A11:2020 EN IEC 61000-3-2:2019 EN 61000-3-3:2013/A1:2019 EN 55035:2017/A11:2020
LVD	EN IEC 62368-1:2020+A11:2020
RoHS	IIEC 62321-3-1:2013/ IEC 62321-5:2013 IEC 62321-4:2013+A1:2017 IEC 62321-7-2:2017/ IEC 62321-6:2015 IEC 62321-7-1:2015/ IEC 62321-8:2017

Υπογράφηκε για και για λογαριασμό του: REOLINK INNOVATION LIMITED

Τόπος έκδοσης: Hong Kong

Ημερομηνία έκδοσης: 28-12-2022

Όνομα: Wang aijun

Θέση: Τεχνικός διευθυντής

Υπογραφή:

Wang aijun

EU Declaration of Conformity (EN)

Manufacturer: REOLINK INNOVATION LIMITED

Address: FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN
STREET MONG KOK KL HONG KONG

This declaration of conformity is issued under the sole responsibility of the manufacturer and belongs to the following product:

Product Type: IP Camera

Model: E1 Outdoor PoE

The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

- EMC Directive: 2014/30/EU
- LVD: 2014/35/EU
- RoHS Directive: 2011/65/EU&(EU)2015/863

The following harmonized standards and technical specifications have been applied:

EMC	EN 55032:2015/A11:2020 EN IEC 61000-3-2:2019 EN 61000-3-3:2013/A1:2019 EN 55035:2017/A11:2020
LVD	EN IEC 62368-1:2020+A11:2020
RoHS	IEC 62321-3-1:2013/ IEC 62321-5:2013 IEC 62321-4:2013+A1:2017 IEC 62321-7-2:2017/ IEC 62321-6:2015 IEC 62321-7-1:2015/ IEC 62321-8:2017

Signed for and on behalf of: REOLINK INNOVATION LIMITED

Place of issue: Hong Kong

Date of issue: 28-12-2022

Name: Wang aijun

Position: Technical Director

Signature:

Wang aijun